

10/634,326

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040268299"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 13:40
S1	0	'template' and (position near2 size) and (grid) and (cooridnat\$2 near5 position) and (define) and (client near2 server) and (editor) and (apple) and (stor\$4 near5 paramete\$3) and (column near3 row) and (descrip\$4 near4 object) and (html or 'hyper text markup language') and ('user interface') and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:25
S2	0	'template' and (position near2 size) and (grid) and (cooridnat\$2 near5 position) and (define) and (free near2 form\$2) and (editor) and ('user interface') and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:26
S3	8	'template' and (position near2 size) and (grid) and (define) and (free near2 form\$2) and (editor) and ('user interface') and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:34
S4	108	'template' and (grid) and (free near2 form\$2) and ('user interface') and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:34
S5	25	'template' and (grid) and (free near2 form\$2) and ('user interface') and (html or 'hyper text markup language') and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:35

S6	9	'template' and (grid) and (free near2 form\$2) and ('user interface') and (html or 'hyper text markup language') and 'editor' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:14
S7	0	'template' and (grid) and (free near2 form\$2) and ('user interface') and ((flexible near2 generic) near2 layout) and (placeholder) and 'editor' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:16
S8	0	'template' and (grid) and ((flexible near2 generic) near2 layout) and (placeholder) and 'editor' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:16
S9	0	'template' and (grid) and (flexible near2 generic) and (placeholder) and 'editor' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:17
S10	68	'template' and (grid) and (placeholder) and 'editor' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:17
S11	4	'template' and (grid) and (placeholder) and 'application' and (size near5 position) and 'editor' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:39
S12	0	(configur\$4 near2 'user interface') and (grid) and (placeholder) and 'application' and (size near5 position) and (html or 'hyper text markup language') and (store near2 database) and 'parameter' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:42

S13	0	(configur\$4 near2 'user interface') and (grid) and (placeholder) and 'application' and (html or 'hyper text markup language') and (store near2 database) and 'parameter' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:42
S14	3	(configur\$4 near2 'user interface') and (grid) and 'application' and (html or 'hyper text markup language') and (store near2 database) and 'parameter' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 18:00
S15	3	((configur\$4 or defin5) near2 'user interface') and (grid) and 'application' and (html or 'hyper text markup language') and (store near2 database) and 'parameter' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:45
S16	0	(grid) and 'coordinates' and 717/110.ccls. and 'parameter' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 18:01
S17	0	(grid) and 'coordinates' and 717/110.ccls. and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 18:01
S18	0	(grid) and 'coordinates' and 717/111.ccls. and 'parameter' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 18:01
S19	0	(grid) and 'coordinates' and 717/112.ccls. and 'parameter' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 18:02

S20	4	(grid) and 'coordinates' and 717/113.ccls. and 'parameter' and (@ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 18:02
-----	---	---	---	----	-----	------------------